## U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY, DOCKET NO. 6398-78031

INFORMATION DISCLOSURE STATEMENT

APPLICANT
WATZELE, ManfredL BUCHBERGER, Bernd; PAULUS, Michael
FILING DATE GROUP

Hanswitth 6/4/05

1636

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
	AA						·
OREIGN P	ATENT D	OCUMENTS					
		Document Number	Date	Country	Class	Subclass	Translation Yes No
/C.H./	AB	WO 89/00604	01/26/1989	MOPET			l
THER REF	ERENCE	S (Including Author, Title, I	Date, Pertinent Pages,	Etc.)			
/C.H./	AC	BUTT, Tauseef R. et al.; "Ubiquitin fusion augments the yield of cloned gene products in Escherichia coli", BIOCHEMISTRY; Vol. 86, April 1989, pp. 2540-2544					
/C.H./	AD	GEORGE, Henry J. et al.; "High-Level Expression in Escherichia coli of Biologically Active Bovine Growth Hormone"; DNA, Vol. 4, No. 4, 1985; pp. 273-281					
C.H./	AE	GOLD, Larry; "Posttranscriptional Regulatory Mechanisms in Escherichia Coli"; Ann. Rev. Biochem; Vol. 57; 1988; pp. 199-233					
/C.H./	AF	HANNIG, Gerhard; "Strategies for optimizing heterologous protein expression in Escherichia coli"; TIBECH, Vol. 16, February 19					
C.H./	АG	JAEGER, John A.; "Predicting Optimal and Suboptimal Secondary Structure for RNA"; METHODS IN ENZYMOLOGY, Vol. 183 pp. 281-307					
/C.H./	АН	MAKRIDES, Savvas C.; "Strategies for Achieving High-Level Expression of Genes in Escherichia coli"; MICROBIOLOGICAL REVIEWS, Vol. 60, No. 3, September 1996, pp. 512-538					
/C.H./	AI	MUKUND, Mandayam Alasingachar et al.; "Effect of mRNA secondary structure in the regulation of gene expression: Unfolding of stable loop causes the expression of Taq polymerase in E., coli"; CURRENT SCIENCE; Vol.76, No. 11; June 10, 1999, pp. 1486-1490					
/C.H./	AJ	PEDERSEN-LANE, Joan et al.; "High-Level Expression of Human Thymidylate Synthase"; PROTEIN EXPRESSIOIN AND PURIFICATION, Article No. PT970750, 10, 1997, pp. 256-262					
/C.H./	AK	de SMIT, Maarten H. et al.; "Control of Translation by mRNA Secondary Structure in Escherichia coli A Quantitative Analysis of Literature Data"; J. MOL. BIOL., 244, pp. 144-150					
/C.H./	AL	SPANJAARD, Remco A. et al.; "Expression of the rat interferon- $\alpha_i$ gene in Escherichia coli controlled by the secondary structure of the translation-initiation region"; GENE, 80, 1989, pp. 345-351 (XP-002182303)					
/C.H:/	АМ	SPRENGART, Michael L. et al.; "The downstream box: an efficient and independent translation initiation signal in Escherichia cold. The EMBO Journal, Vol 15, No. 3, 1996, pp. 665-674					
/C.H./	AN	STENSTROM, C. Magnus et al.; "Codon bias at the 3'-side of the initiation codon is correlated with translation initiation efficiency Escherichia coli"; GENE, 263, 2001, pp. 273-284					
/C.H./	ΑÖ	STENSTROM, C. Magnus et al.; "Cooperative effects by the initiation codon and its flanking regions on translation initiation"; GENE, 273, 2001, pp. 259-265; (XP-002285920)					
/C.H./	AP	TESSIER, Luc-Henri et al.; "The influence of mRNA primary and secondary structure on human IFN-γ gene expression in E. coli" NUCLEIC ACIDS RESEARCH; Vol. 12, No. 20, 1984, pp. 7663-7675					
		/Catherine Hibt	sort!		10.	18/2007	Date Considered